

Safety data sheet
according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

SECTION 1: Product and company identification

1.1. Product Identifier

Trade Name: EDJ-72

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:

Production of rubber articles.

Industrial use.

Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

1.3. Details of the supplier of the safety data sheet

Company and address:

AVK GUMMI A/S

Mosegaardsvej 1

DK-8670 Laasby

Tel: +45 8695 1311

www.avkgummi.dk

Contact person and e-mail:

sds@avkgummi.dk

1.4. Emergency telephone number

Poison Control Center 1-800-222-1222

Use your national or local emergency number – See SECTION 4 “First aid measures”.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GHS:

Aquatic Chronic 2

H411: Toxic to aquatic life with long lasting effects.

Safety data sheet

according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

2.2. Label elements

Labelling according to GHS:



Hazard pictograms	:		
Signal word	:	None	
Hazard statements	:	H411	Toxic to aquatic life with long lasting effects.
Precautionary statements	:	P273 P391 P501	Avoid release to the environment. Collect spillage. Dispose of contents/container in accordance with local/regional/national/ international regulations.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

This product is a mixture.

Substance	CAS-No.	GHS-classification	Content (%)	Note
Carbon black	1333-86-4	-	< 80	1
Zinc oxide	1314-13-2	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	< 5	1
Zinc bis(dibenzylidithiocarbamate)	14726-36-4	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	< 5	-
Thiram	137-26-8	Acute Tox. 4 (oral), H302 Acute Tox. 4 (inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)	< 1	1
N-tert-butylbenzothiazole-2-sulphenamide	95-31-8	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	< 1	-

1) The substance has a national exposure limit.

For full text of H-statements, see SECTION 16.

Safety data sheet
according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

SECTION 4: First-aid measures

4.1. Description of first aid measures

Inhalation:

In case of discomfort: Seek fresh air.
Seek medical advice if symptoms persist.

Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.
Seek medical advice in case of persistent discomfort.

Skin contact:

Remove contaminated clothing.
Wash the skin thoroughly with water.
If skin irritation or rash occurs: Get medical advice/attention.
If molten material comes in contact with the skin, cool under running stream of water. DO NOT attempt to remove the material from skin. Removal could result in severe tissue damage. Seek medical attention immediately.

Eye contact:

Remove contact lenses, if present and easy to do.
Flush with water (preferably using eye wash equipment) until irritation subsides.
Seek medical advice if symptoms persist.

Additional information:

When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: May cause an allergic skin reaction. May cause slight irritation to the eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically and supportively.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Powder, foam, carbon dioxide or water mist.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: Do not use high volume water jet.

5.2. Special hazards arising from the substance or mixture

Exposure to decomposition products may cause a health hazard.
Do not allow run-off from firefighting to enter drains or water courses.

Safety data sheet
according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See SECTION 8 for type of protective equipment.
Avoid contact with skin and eyes.
Ensure adequate ventilation.

6.2. Environmental precautions

Avoid release to the environment.
Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains.

6.3. Methods and material for containment and cleaning up

Collect mechanically and dispose to suitable and properly labelled waste containers.
See SECTION 13 for instructions on disposal.

6.4. Reference to other sections

See SECTION 7 for information on safe handling.
See SECTION 8 for information on personal protection equipment.
See SECTION 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See SECTION 8 for information about precautions for use and personal protective equipment.
Do not eat, drink or smoke when using this product.
Ensure adequate ventilation.
Avoid contact with skin and eyes.
Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.
Store product in properly labelled and tightly sealed container.
Keep in cool, dry, and ventilated area.

7.3. Specific end use(s)

See application SECTION 1.

Safety data sheet
according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits (US):

Substance	TWA (mg/m ³)	STEL (mg/m ³)
Carbon black		
OSHA	3.5	-
NIOSH	3.5(1)	-
Zinc oxide (dust)		
OSHA	15	-
NIOSH	5	15(2)
Thiram		
OSHA	5	-
NIOSH	5	-

(1) in presence of PAHs: limit PAHs to 0.1 mg/m³ TWA (detected as cyclohexane soluble extract)

(2) Ceiling limit value (15 min)

DNEL-values:

	Workers	Consumers
DNEL Carbon black		
Inhalation - Chronic Systemic	2 mg/m ³	-
Inhalation - Chronic Local	2 mg/m ³	-
DNEL Zinc bis(dibenzylthiocarbamate)		
Inhalation - Chronic Systemic	7 mg/m ³	-
Dermal - Chronic Systemic	1000 mg/kg bw/day	-
Oral - Chronic Systemic	1 mg/kg bw/day	-
DNEL Thiram		
Inhalation - Chronic Systemic	0.235 mg/m ³	42 µg/m ³
Dermal - Chronic Systemic	1.667 mg/kg bw/day	833 µg/kg bw/day
DNEL N-tert-butylbenzothiazole-2-sulphenamide		
Inhalation - Chronic Systemic	14 mg/m ³	3.5 mg/m ³
Inhalation - Acute Systemic	14 mg/m ³	3.5 mg/m ³
Inhalation - Chronic Local	14 mg/m ³	3.5 mg/m ³
Inhalation - Acute Local	14 mg/m ³	3.5 mg/m ³
Dermal - Chronic Systemic	67 mg/kg bw/day	33 mg/kg bw/day
Dermal - Acute Systemic	534 mg/kg bw/day	266 mg/kg bw/day
Oral - Chronic Systemic	-	1 mg/kg bw/day
Oral - Acute Systemic	-	8 mg/kg bw/day

PNEC-values:

PNEC Carbon black	
Freshwater	5 mg/L
Marine water	5 mg/L

Safety data sheet
 according to OSHA Hazard Communication
 Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

PNEC Zinc oxide	
Freshwater	17.9 µg/L
Marine water	9 µg/L
Microorganisms in sewage treatment plants (STP)	124.5 µg/L
Freshwater sediments	182.8 mg/kg sediment dw
Marine sediments	201.9 mg/kg sediment dw
Soil (agricultural)	103.4 mg/kg soil dw
PNEC Zinc bis(dibenzylthiocarbamate)	
Freshwater	0.00032 mg/L
Marine water	0.000032 mg/L
Microorganisms in sewage treatment plants (STP)	>10 mg/L
Freshwater sediments	32 mg/kg sediment dw
Marine sediments	3.2 mg/kg sediment dw
Soil (agricultural)	6.4 mg/kg soil dw
Food chain (predators)	5.78 mg/kg food
PNEC Thiram	
Freshwater	0.46 µg/L
Marine water	0.046 µg/L
Microorganisms in sewage treatment plants (STP)	0.06 mg/L
Freshwater sediments	0.105 mg/kg sediment dw
Marine sediments	0.011 mg/kg sediment dw
Soil (agricultural)	0.147 mg/kg soil dw
PNEC N-tert-butylbenzothiazole-2-sulphenamide	
Freshwater	0.0023 mg/L
Marine water	0.00023 mg/L
Microorganisms in sewage treatment plants (STP)	100 mg/L
Freshwater sediments	0.08 mg/kg sediment dw
Marine sediments	0.008 mg/kg sediment dw
Soil (agricultural)	0.015 mg/kg soil dw

8.2. Exposure controls

There are no exposure scenarios for this product.

Appropriate engineering controls:

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines.

Refer to protective measures listed in SECTION 7.

Personal protective equipment:

Hand protection: Wear protective gloves made of nitrile rubber.

Other skin protection: Generally not required.

Eye/face protection: Generally not required.

Respiratory protection: Ensure adequate ventilation.
 Avoid breathing process

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

Safety data sheet
according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Solid
Colour:	Black
Odour:	-
Melting point/ Freezing Point (°C):	-
Boiling point or initial boiling point and boiling range (°C):	-
Flammability:	-
Lower and upper explosion limit (vol-%):	-
Flash point (°C):	-
Auto-ignition temperature (°C):	-
Decomposition temperature (°C):	-
pH:	Not applicable (Insoluble in water)
Kinematic viscosity (mm ² /s):	-
Solubility:	Practically insoluble
Partition coefficient n-octanol/water (log value):	-
Vapour pressure:	-
Density and/or relative density:	1.17 ± 0.03 g/mL
Relative vapour density:	-
Particle characteristics:	-

9.2. Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

Safety data sheet

according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

This product has not been tested. Judgements on the expected toxicity of this product have been made based upon consideration of its components.

Acute toxicity:

Product

Based on available data, the classification criteria are not met.

Components

Substance	Test (species)	Result	Guideline
Carbon black			
Oral	LD50 (Rat)	>8000 mg/kg	OECD 401
Inhalation	LC50/4h (Rat)	>4.6 mg/m ³	OECD 403
Zinc oxide			
Oral	LD50 (Rat)	>2000 mg/kg	OECD 401
Dermal	LD50 (Rat)	>2000 mg/kg	OECD 402
Inhalation	LC50/4h (Rat)	>5.7 mg/L	OECD 403
Zinc bis(dibenzylthiocarbamate)			
Oral	LD50 (Rat)	>5000 mg/kg	OECD 401
Dermal	LD50 (Rabbit)	>2000 mg/kg	OECD 402
Thiram			
Oral	LD50 (Rat)	1800 mg/kg	Other
Dermal	LD50 (Rabbit)	>2000 mg/kg	Other
Inhalation	LC50/4h (Rat)	4.42 mg/L	Other
N-tert-butylbenzothiazole-2-sulphenamide			
Oral	LD50 (Rat)	6310 mg/kg	Other
Dermal	LD50 (Rabbit)	7940 mg/kg	Other

Skin corrosion/irritation:

Product

May slightly irritate the skin.

Components

Substance

Thiram
N-tert-butylbenzothiazole-2-sulphenamide

Assessment:

Irritates the skin
Slightly irritating

Serious eye damage/irritation:

Product

May slightly irritate the eyes.

Safety data sheet
according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

Components

Substance

Zinc bis(dibenzylthiocarbamate)
Thiram
N-tert-butylbenzothiazole-2-sulphenamide

Assessment:

Slightly irritating
Irritates the eyes
Slightly irritating

Respiratory or skin sensitisation:

Product

May cause an allergic skin reaction.

Components

Contains Thiram and N-tert-butylbenzothiazol-2-sulfenamid. May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Product

Based on available data, the classification criteria are not met.

Components

Substance

Thiram

Assessment:

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard:

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Test data are not available.

Safety data sheet
according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

SECTION 12: Ecological information

12.1. Toxicity

Product

Toxic to aquatic life with long lasting effects.

Components

Substance	Test	Result
Carbon black		
Daphnia	EC50 (24 h)	>5600 mg/L
Algae	EC50 (72 h)	>10000 mg/L
Fish	LC0 (96 h)	>1000 mg/L
Zinc oxide		
Daphnia	EC50 (48 h)	>7.5 mg/L
Algae	EC50 (24 h)	>2.57 mg/L
Fish	LC50 (96 h)	>1.793 mg/L
Zinc bis(dibenzylthiocarbamate)		
Daphnia	EC50 (48 h)	0.74 mg/L
Algae	EC50 (96 h)	1.1 mg/L
Fish	LC50 (96 h)	>10 mg/L
Thiram		
Daphnia	EC50 (48 h)	0.139 mg/L
Algae	EC50 (72 h)	>0.141 mg/L
Fish	LC50 (96 h)	0.046 mg/L
N-tert-butylbenzothiazole-2-sulphenamide		
Daphnia	EC50 (48 h)	>0.3 mg/L
Algae	EC50 (72 h)	0.071 mg/L
Fish	LC50 (96 h)	1.38 mg/L

12.2. Persistence and degradability

Product

Test data are not available for the complete mixture.

Components

Substance	Biodegradability	Result	Guideline
Zinc bis(dibenzylthiocarbamate)	Not readily biodegradable	28 days 8%	OECD 301 F
Thiram	Not readily biodegradable	28 days 30%	OECD 310
N-tert-butylbenzothiazole-2-sulphenamide	Not readily biodegradable	28 days 0%	OECD 301 C

12.3. Bioaccumulative potential

Test data are not available.

Safety data sheet
according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6. Endocrine disrupting properties

Test data are not available.

12.7. Other adverse effects

Test data are not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:

Dispose of in accordance with Federal, State, and local regulations on waste and hazardous waste.
Store waste in containers provided for this purpose.
Do not dump in drains, water sheets or the ground.

Contaminated packaging:

Packaging that cannot be cleaned are to be disposed of in the same manner as the product.
Empty packaging and residues can be disposed with household waste.

SECTION 14: Transport information

14.1. UN number or ID number

UN 3077

14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide, zinc bis(dibenzylidithiocarbamate), thiram, N-tert-butylbenzothiazole-2-sulphenamide)

14.3. Transport hazard class(es)

9

14.4. Packing group

III

14.5. Environmental hazards

Marine pollutant: Yes

Safety data sheet
according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

14.6. Special precautions for user

See SECTION 8 for type of protective equipment.
Shipping in package sizes of less than 5 kg may lead to a non-regulated classification.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

15.2. Chemical safety assessment

None.

SECTION 16: Other information

According to OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other information:

Full text of H-phrases as mentioned in SECTION 2+3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Classification of mixtures and used evaluation methods according to GHS:

Classification	Evaluation method
Aquatic Chronic 2; H411	Calculation method

Abbreviations and acronyms used in the safety data sheet:

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road
bw: Body weight
CAS-Number: Chemical Abstracts Service number.
DNEL: Derived No Effect Level.
dw: Dry weight
EC50: The effective concentration of substance that causes 50% of the maximum response.
GHS: Globally Harmonized System
IMDG: International Maritime Dangerous Goods
IMO: International Maritime Organization

Safety data sheet
according to OSHA Hazard Communication
Standard (29 CFR 1910.1200)



Version: 1.0 (US)

Revision date: 01/08/2025

Print date: 01/08/2025

LC0: Lethal Concentration to 0 % of a test population.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

PBT: Persistent, Bioaccumulative and Toxic.

PNEC(s): Predicted No Effect Concentration(s).

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals; Regulation (EC) No 1907/2006.

STEL: Short Term Exposure Limit

STOT: Specific Target Organ Toxicity.

TSCA: Toxic Substances Control Act

TWA: Time-Weighted Average

vPvB: Very Persistent and Very Bioaccumulative.

Further information:

Contact Point: AVK GUMMI A/S

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information applies only to this specific product (mentioned in SECTION 1) and may not be valid if used in combination with other chemicals/products.